

S  
Y  
S  
C  
A  
L  
L

Simple & Smart

# Syscall

RF SYSTEM

F&B

HOTEL

INDUSTRY

HOSPITAL

SECURITY



Solutions in 2023

# C Company Overview

**SYSCALL POLAND** is one of the leading company of wireless-on-site messaging system based in Poland. Company is a branch office of NTTWORKS South Korean manufacture with operations all over the world since 1996. Syscall Poland has focused on developing the most complete and reliable wireless communication solution since establishment.

Also the most comprehensive product line is designed to provide wireless communication solution to variety business industries such as restaurant wireless calling system, guest paging system, retail calling system, nurse calling system, manufacture, logistics - just name a few.

Through innovative, reliable products and services, talented people, a responsible approach to business and global citizenship, and collaboration with our partners and customers, SYSCALL POLAND with NTTWORKS aims to become a leader of global wireless communication solution provider.

**Syscall**



## 01 Customer-Intimate

Based on our philosophy of "Customer First", we constantly develop and provide innovative and high quality products and services that satisfy various customer demands.

## Corporate Philosophy



## 02 People-Oriented

We respect and encourage personal growth for our employees under our belief that the success of our business is led by nurturing each individual's character and ability.



## 03 Transparent Partnership

We respect our distributors and other business partner and work with them through long-term relationships to achieve mutual growth based on trust.


## 6 things that you should choose Syscall

### EXPORT 100 COUNTRIES



SYSCALL is one of the leading company of wireless calling system based in South Korea since 1996. As our products are recognized for their excellent technology and competitiveness in various business and service areas, we export to more than 100 countries worldwide.

### OWN INTERNAL R&D DEPARTMENT



We continuously invest in research and development and extending it's investments year by year. Our R&D Department is not only to develop new products and services, but also to keep driving product improvement or innovation within existing business offering.

### MADE IN SOUTH KOREA




South Korea has a reputation of producing high-quality goods in IT market segment. Likewise, all of SYSCALL products are designed and produced in South Korea and we strengthen the competitiveness of our products through innovative quality control.

### ALL PRODUCTS CE CERTIFIED




SYSCALL's all products are CE certified. CE certification proves it meets minimum legal requirements of the relevant Directives. And implementing those requirements means that the products are safer and reliable for the users.

### BEFORE, DURING AND AFTER SALES SERVICE




From consulting to shipment and after sales, SYSCALL manages all process directly. We provide timely, attentive, upbeat service to our customer, and making sure their needs affecting positively on the business.

### LAUNCHING NEW PERIODICALLY



SYSCALL releases the NEW models every year. For the new development, we focus on marketplace and customer needs, and also try to reflect the market trends. Accordingly, it enables to provide more innovative and reliable products at competitive price.

## Wireless Calling System



### Benefits

- Improve Service Quality
- Improve Business Efficiency
- Reduce Labor Cost
- Increase Customer Satisfaction
- Increase Business Profit

## Wireless Paging System



### Benefits

- Improve Guest Experience
- Improve Customer Satisfaction
- Reduce Labor Cost
- Boost Productivity and Efficiency
- Improve Response Time

### 01 Calling System

Basic and standard calling system that is applicable to diverse business industries.



### 01 Direct Paging System

Just page directly from the call button. No need an extra receiver.



### 02 Multi-channel Calling System

A perfect solution for where are busy with a long waiting line and chaotic crowds - food courts, restaurants, hospitals, etc.



### 02 Server Paging System

Page the server smartly. It helps save on labor and maximize productivity.



### 03 Monitoring Software

Improve operation flow by monitoring and analyzing real time transaction records. [Transaction records can be exported by Excel]



### 03 Server Paging System (ST-4008)

The economical server paging solution for small business where uses less than 8 pagers. Page staff quickly when attention is needed.



## Wireless Guest Paging System



### Benefits

- Increase Sales
- Improve Customer Satisfaction
- Improve Response Time
- Reduce Labor Cost

## Timer Guest Paging System



### Benefits

- Efficient Time Management
- Easy to Check Remaining Time
- 1~99 min Time Set Available
- 5 Min Pre-alarm Available

### 01 Unique Design Guest Pager

All guest pagers have a brand sticker space which can convey its brand message effectively.



### 01 Countdown Timer Feature

Maximize time management. It reminds customers of remaining time by any available alert mode.



### 02 The economical option for small business

All-in-one type, no need an extra transmitter.



### 03 POS system Integration Available

It allows to page the guest pagers through POS system and change its number automatically.




## Truck Driver Paging System



### Benefits


- Provide Instant and Clear Notification
- Eliminate Wasted Time
- Make it Easy for Office Staff to Direct Drivers

## Wireless Nurse Calling System



### Benefits

- Taking Care of Patients Promptly
- Decrease Response Time
- Cost-effective Wireless Solution
- Suitable Solution for Urgent Situation
- Real-time Monitoring System



STEP 01

Check-in & Receive the pager

STEP 02

Waiting for the call

STEP 03

Informed Gate#

STEP 04

Load & Leave

### 01 Truck Driver Paging System

A perfect way to eliminate wasted time by providing instant and clear notification to drivers.



TP-2000T



TGP-200R



### 01 Nurse Call System

It is designed specifically for the communication needs of healthcare facilities & emergency situation.



SHS-100

ST-500

Nurse Call Software

SRT-8200\_PC

### 02 Emergency Call System

Press the call button in case of an emergency. Light indicator helps to notice the situation quickly.



SHS-400



SR-A330



SB-700



ST-E1



SLL-400



SRL-300

### 02 Enhance the working range

Increase the signal coverage between TP-2000T and TGP-200R.



TP-2000T



SRT-8200 T



TGP-200R

### 03 Pull Cord Transmitter

A patient pulls the cord to alert the nurse if assistance is required, particularly in toilet.



SHS-200




SR-AA10



SB-700

## Wireless Security System



### Benefits

- Enhance Security
- Real-time Monitoring System
- Maintain the Safety
- Keep the Criminals Away

## Syscall Software



### 01 Monitoring Software

This software enables to collect transaction data so that you can use the data to analyze your business flow.



### 02 Server Paging Software

User can page server from PC with more variety features provided by the software.



### 03 Direct Pager Programming Software

User can program direct pagers with the software simply.




### 04 Self-customizing Software

This software is customizable to meet customer needs.



#### Feature

- Specialized software for food court area
- Possible to choose the number of sections (3~6 Section)
- All settings self-modification available



### 01 Motion Detector

Detect 120° wide range, side to side and up and down. Real-time monitoring is essential to ensure security.




### 02 Door Contact Sensor

Receive alerts through Syscall receivers, if doors or windows have been open or left open.



## TRANSMITTER

**ST-300 / ST-300S / ST-300-2B** Best selling call button



Dimension	Weight	Color
Ø59 x H9 mm	20g/22g	ST-300: Black, Navy ST-300S: Metal gray ST-300-2B: Black

### Feature

- Water-resistant call button
- Slim and attractive design
- The most applicable call button in various fields

**ST-E1** Call & Clear 2 functions in 1 button



Low Battery Notification

Dimension	Weight	Color
W70 x L70 x H13mm	40g	Orange, Red

**ST-100** Steady selling call button



Dimension	Weight	Color
W54.5 x L54.5 x H19mm	35g	White, Black, Silver

**ST-800 / ST-800-3B** 1 or 3 button with mat finish



Dimension	Weight	Color
W54 x L54 x H11mm	20g / 22g	Black

**ST-900** 100% Waterproof call button



Dimension	Weight	Color
W58 x L67 x H14mm	25g	Black

**ST-600** 3 functions call button



Dimension	Weight	Color
Ø59 x H9mm	20g	Black, Wine

**ST-200** Light and slim design



Dimension	Weight	Color
Ø59 x H8mm	18g	Black, Wine



## ST-4008 Multifunctional 8 call button



YOUR LOGO HERE



Adaptor/Battery




Low Battery Indicator

Dimension	Weight	Color
W113 x L89 x H28mm	120g	Navy

### Feature

- 2 types of button functions
- All 8 buttons for CALL function
- 4 buttons for CALL, 4 buttons for CLEAR function
- Dry contact connection (only 4 buttons)
- Power supply from battery(AA) or adaptor
- Enhanced signal range with the external antenna


## SHS-100 Nurse call button



2 Button (Call/Clear)  
Cradle included

Dimension	Weight	Color
W41 x L103 x H20mm	152g	Blue, Gold

## SHS-200 Pull cord call button



2 Button (Call/Clear)  
Length : 1.2m

Dimension	Weight	Color
W41 x L103 x H20mm	50g	Blue

## SHS-400 Necklace call button



Safety breakaway lanyard  
Wall bracket

Dimension	Weight	Color
W51.5 x L51.5 x H13.5mm	22g	White

## ST-500 External antenna improves wireless range



YOUR LOGO HERE


Dimension	Weight	Color
W55.5 x L99.5 x H15mm	55g	Orange, White

## SDS-200 Door contact sensor



Dimension	Weight	Color
Main: W70 x L40 x H26mm Magnet: W70 x L16 x H20mm	55g 15g	White

## SPT-200 Motion detector



Dimension	Weight	Color
Main: W85 x L85 x H45mm Cradle: W70 x L70 x H26mm	108g	White

RECEIVER

DISPLAY MONITOR

## SR-A Series



Display	FND
Dimension	W280 x L145 x H40mm
Weight	600g
Color	White
Key	Touch 6ch
Memory Capacity	Register up to 450 transmitters
Model	SR-A2001/ A2003/ A330/ A440/ AA10



TOUCH PANEL KEY



ON/OFF SWITCH



BLUE SIDE LIGHT



SR-A2001



SR-A2003



SR-A330



SR-A440



SR-AA10



High-Performance Antenna  
(Improved Working Range)



Wireless Data Copy



Touch Switches

## SR-300F



Display	4 digit 7 segment FND
Dimension	W107 x L107 x H32mm
Weight	135g
Color	White
Memory Capacity	Register up to 400 transmitters



Wall-mounted Type



Stand Type



Mini & Compact



2 in 1 Type



Melodies &  
Voice Messages



Voice Guidance


## DIRECT PAGER

### SB-700 Touch switch & USB charging type

[ Watch type ]




[ Clip type ]



Type	Watch type or Clip type
Dimension	Watch: W45 x L56 x H11.5mm Clip: W45 x L58 x H16mm
Weight	42g / 30g
Color	Black, Silver
Battery	Li-Polymer (USB rechargeable)

### SB-650 Button switch & Cradle charging type



Type	Watch type
Dimension	W47 x L38.5 x H14mm
Weight	42g
Color	Red black, Silver black
Battery	Li-Polymer (USB rechargeable)

## LIGHT INDICATOR

### SRL-300 Smart corridor light



LED Color	Able to indicate 7 LED colors
Dimension	W68 x L125.5 x H50mm
Weight	115g
Memory Capacity	Register up to 1,000 transmitters

### SLL-400 Emergency light indicator



Color	Red, White
Dimension	W82 x L155 x H79mm
Weight	340g
Memory Capacity	Register up to 200 transmitters

## GUEST PAGER

## COASTER TYPE

### GP-101R\_10C



Dimension	Weight	Color
Ø95 x H15.5mm	79g	Black

#### Feature

- One of our most popular guest pager
- Big branding sticker space
- Thin and mat finish design makes it more premium
- Black & white which are basic color that fits anywhere

### GP-100R\_10C



Dimension	Weight	Color
Ø95 x H18mm	78g	Green, Red

#### Feature

- The unique doughnut design
- Differentiated red & green color with glossy finish
- Free logo cap offer for branding sticker

## SLIM TYPE

### GP-200R\_10C



Dimension / Weight	Color
GP-200R: W57 x L195 x H16mm / 80g GP-200C_10: W140 x L149 x H41.5mm / 245g	Black

#### Feature

- Slimline and neat design
- Plexiglass cradle included
- Branding sticker space both on the pager and cradle

### GP-206RT / GP-210RT

[ 6 pagers in 1 set ]



[ 10 pagers in 1 set ]



Dimension / Weight	Color
GP-206T: W140 x L149 x H41.5mm / 240g GP-210T: W140 x L149 x H41.5mm / 260g	Black

#### Feature

- All-in-one type - Transmitter & charging cradle included
- Touch button for number keys
- Anti-theft function
- Suitable for small business

## SIGNATURE GUEST PAGER

# Syscall Signature

### SGP-100R\_10C/20C



<b>Dimension / Weight</b>	SGP-100R: W47 x L102 x H12mm / 45g SGP-110C: W138 x L142 x H175mm / 610g SGP-120C: W138 x L142 x H332mm / 920g
<b>Color</b>	Black

- Feature**
- Compact size fits in one hand
  - LED indicates the charging status
  - Charging easily in any direction
  - Fix the product stably with non-slip pad
  - Easy to clean the charging socket with the detachable rear case



**Charging Status**  
 ● Red : In-charging  
 ● Blue : Completed



Non-Slip Pad



Easy to Clean  
 Detachable rear case

### SGP-300R\_10C



<b>Dimension / Weight</b>	SGP-300R: W68 x L68 x H12mm / 46g SGP-300C: W84 x L185 x H55mm / 235g
<b>Color</b>	White


- Feature**
- The unique design inspired by Diamond
  - LED indicates the charging status
  - Big branding sticker space
  - Simply drop the pager to charge
  - Able to charge in any direction



**Charging Status**  
 ● Red : In-charging  
 ● Blue : Completed



Branding Sticker Space



Drop and Charge

## MULTI-PURPOSE TRANSMITTER

GP-2000T / ST-5020 / DT-5020



Dimension	Weight	Color
W100 x L177x H33mm	200g	Black
Feature		
<ul style="list-style-type: none"> <li>· Smart touch keypad</li> <li>· Clearer display with OLED</li> <li>· Beep &amp; haptic feedback available</li> <li>· Power ON/OFF switch &amp; fixed antenna</li> </ul>		



GP-2000T



Guest Pager



ST-5020



SR-A series



DT-5020



Direct pagers

## REPEATER / DATA TRANSCIVER



Dimension	W159 x L110 x H23mm
Weight	150g
Color	Black
Key	Touch 3ch
Memory Capacity	Register up to 450 call bells

SRT-8200

### Feature

- Enhance working range in order to receive all signals
- Available in registration or non-registration mode
- Compatible with all Syscall products



SRT-8200\_PC

### Feature

- Data transceiver for software



## TRUCK DRIVER PAGER

### TGP-200R\_10C/20C



Display	TFT LCD 1.44"
Dimension / Weight	TGP-200R : W47 x L102 x H12mm / 47g TGP-110C : W138 x L142 x H175mm / 610g TGP-120C : W138 x L142 x H332mm / 920g
Color	Black
Power Source	DC 9V/5A
Battery	3.7V/320mAh
Compatibility	TP-2000T & SRT-8200T



Full Color TFT Display



Out of Range Function



Long Lasting Battery

### TP-2000T



Dimension	W100 x L177 x H33mm
Weight	200g
Color	Black

#### Feature

- Quick re-call from Call history page
- Clearer display with OLED



### SRT-8200T



Dimension	W159 x L110 x H23mm
Weight	150g
Color	Black
Display	FND Red color (7 segments)
Compatibility	TP-2000T & TGP-200R

#### Feature

- Enhance working range between TP-2000T & TGP-200R
- Compatible with Truck Driver Paging System Only



TP-2000T



SRT-8200T



TGP-200R

S  
Y  
S  
C  
A  
L  
L



Distributed by

**Syscall**  
Poland

ul. Lucerny 93 lok. 12, 04-687 Warszawa

m. phone +48 884 000 471

e-mail: [biuro@syscall.pl](mailto:biuro@syscall.pl)

[www.syscall.pl](http://www.syscall.pl)

