

Simple & Smart

Syscall

RF SYSTEM

F&B

HOTEL

INDUSTRY

HOSPITAL

SECURITY

SYS
CALL



Ccompany Overview

SYSCALL POLSKA jest przedstawicielem wiodącego producenta systemów przywoławczych z siedzibą w Korei Południowej. Firma prowadzi sprzedaż poprzez przedstawicielstwa regionalne na całym świecie od 1996 roku. Od samego początku Syscall skupia się na opracowywaniu i doskonaleniu w dziedzinie systemów przywoławczych dostarczając kompletne, wielobranżowe i niezawodne rozwiązania.

Najbardziej wszechstronna linia produktów została zaprojektowana w celu dostarczenia funkcjonalnych rozwiązań do komunikacji radiowej, GSM oraz internetowej. Przygotowaliśmy szereg możliwych zastosowań branżowych np. bezprzewodowy system przywoławczy dla restauracji, pagery dla gości, system przywoławczy dla RETAIL, system przywoływania dla opieki medycznej, rozwiązania dla logistyki i magazynów... a to tylko kilka z nich.

Syscall

CORPORATE PHILOSOPHY



01 Customer-Intimate

Based on our philosophy of “Customer First”, we constantly develop and provide innovative and high quality products and services that satisfy various customer demands.



02 People-Oriented

We respect and encourage personal growth for our employees under our belief that the success of our business is led by nurturing each individual's character and ability.



03 Transparent Partnership

We respect our distributors and other business partner and work with them through long-term relationships to achieve mutual growth based on trust.

6 things that you should choose Syscall

EXPORT 100 COUNTRIES



SYSCALL is one of the leading company of wireless calling system based in South Korea since 1996. As our products are recognized for their excellent technology and competitiveness in various business and service areas, we export to more than 100 countries worldwide.

OWN INTERNAL R&D DEPARTMENT



We continuously invest in research and development and extending its investments year by year. Our R&D Department is not only to develop new products and services, but also to keep driving product improvement or innovation within existing business offering.

MADE IN SOUTH KOREA



South Korea has a reputation of producing high-quality goods in IT market segment. Likewise, all of SYSCALL products are designed and produced in South Korea and we strengthen the competitiveness of our products through innovative quality control.

ALL PRODUCTS CE CERTIFIED




SYSCALL's all products are CE certified. CE certification proves it meets minimum legal requirements of the relevant Directives. And implementing those requirements means that the products are safer and reliable for the users.

BEFORE, DURING AND AFTER SALES SERVICE



From consulting to shipment and after sales, SYSCALL manages all process directly. We provide timely, attentive, upbeat service to our customer, and making sure their needs affecting positively on the business.

LAUNCHING NEW PERIODICALLY



SYSCALL releases the NEW models every year. For the new development, we focus on marketplace and customer needs, and also try to reflect the market trends. Accordingly, it enables to provide more innovative and reliable products at competitive price.

S-WATCH

Special, Smart and Strong



IP68

Dust & Water Proof Use



Better Durability

Using Zinc alloy for body and
TPU for band



**Clear Screen &
Crown button**

Meet clearer screen,
Easy to on/off with crown button



**Quick Charger & Easy
charging Available**

Better product with magnetic
charging cable & quick charger

DOT Monitor SR-D10

All Letters & Characters Available

Upgraded version of SR-A Series



Able to



Set a message for Stand-By



Add your own melody



Use wireless data copy


Multifunctional Call Button

ST-4008



TYPE A

All 8 buttons
for **CALL** function



TYPE B

4 buttons for **CALL**
4 buttons for **CLEAR**



Available buttons
with the contact

TYPE C 4 cables for
Dry / wet connection

New White Doughnut pager

GP-100R White



Unique
doughnut design



Premium white color
with glossy finish



Free logo cap offer
for branding sticker

GP-100R_10C



GP-2000T



New Call Button



ST-E1



Separate
sale

Protective
case



Call & Clear



Water Resistance



CR2450 battery / 3 years



Low Battery Notification



ST-W1

1 Button



ST-W1-2B

2 Button




Velcro strap
available

Fall/Walk functions

SHS-300



SHS-300C
Product Charger



SHS-300
Programming Software



SHS-300Mi
380*380mm



SHS-300M
870*610mm



*SHS-300M : Suitable for Bed

*SHS-300Mi : Suitable for Wheelchair



- SHS-300M MOQ is 10EA, BUY 10, GET 1 FREE
- SHS-300_5C(SHS-300 5EA + Charger + cable) SET
- SHS-300 is only available to be set with exclusive cable through programming software

Syscall-Talkie

Two way communication system



SR-A320WT



SR-A610WT



Two-way communication function
Calling system + Walkie Talkie



High performance signal range
(Normal 3km, Open field 10km)

Applicable industry



Security



Construction Site




Factory

S-Factory Solution


S-Book



**Prompt
signal reception**



External Antenna
(high performance signal)




Easy-to-carry
(10.1 inch / 583g)

Actual Case



Wireless Calling System



Benefits

- Improve Service Quality
- Improve Business Efficiency
- Reduce Labor Cost
- Increase Customer Satisfaction
- Increase Business Profit

Wireless Paging System




Benefits

- Improve Guest Experience
- Improve Customer Satisfaction
- Reduce Labor Cost
- Boost Productivity and Efficiency
- Improve Response Time

01 Calling System

Basic and standard calling system that is applicable to diverse business industries.



01 Direct Paging System

Just page directly from the call button. No need an extra receiver.



02 Multi-channel Calling System

A perfect solution for where are busy with a long waiting line and chaotic crowds - food courts, restaurants, hospitals, etc.



02 Server Paging System

Page the server smartly. It helps save on labor and maximize productivity.



03 Monitoring Software

Improve operation flow by monitoring and analyzing real time transaction records. [Transaction records can be exported by Excel]



03 Server Paging System (ST-4008)

The economical server paging solution for small business where uses less than 8 pagers. Page staff quickly when attention is needed.



Wireless Guest Paging System



Benefits

- Increase Sales
- Improve Customer Satisfaction
- Improve Response Time
- Reduce Labor Cost

Timer Guest Paging System



Benefits

- Efficient Time Management
- Easy to Check Remaining Time
- 1~99 min Time Set Available
- 5 Min Pre-alarm Available

01 Unique Design Guest Pager

All guest pagers have a brand sticker space which can convey its brand message effectively.




01 Countdown Timer Feature

Maximize time management. It reminds customers of remaining time by any available alert mode.



02 The economical option for small business

All-in-one type, no need an extra transmitter.



03 POS system Integration Available

It allows to page the guest pagers through POS system and change its number automatically.




Truck Driver Paging System



Benefits


- Provide Instant and Clear Notification
- Eliminate Wasted Time
- Make it Easy for Office Staff to Direct Drivers

Wireless Nurse Calling System



Benefits

- Taking Care of Patients Promptly
- Decrease Response Time
- Cost-effective Wireless Solution
- Suitable Solution for Urgent Situation
- Real-time Monitoring System



STEP 01

Check-in & Receive the pager

STEP 02

Waiting for the call

STEP 03

Informed Gate#

STEP 04

Load & Leave

01 Truck Driver Paging System

A perfect way to eliminate wasted time by providing instant and clear notification to drivers.



TP-2000T



TGP-200R



01 Nurse Call System

It is designed specifically for the communication needs of healthcare facilities & emergency situation.



SHS-100

ST-500

Nurse Call Software SRT-8200_PC

02 Emergency Call System

Press the call button in case of an emergency. Light indicator helps to notice the situation quickly.



SHS-400

SR-A330

S-WATCH

ST-E1

SLL-400

SRL-300

02 Enhance the working range

Increase the signal coverage between TP-2000T and TGP-200R.



TP-2000T



SRT-8200T



TGP-200R

03 Pull Cord Transmitter

A patient pulls the cord to alert the nurse if assistance is required, particularly in toilet.



SHS-200

SR-AA10

S-WATCH

Wireless Security System



Benefits

- Enhance Security
- Real-time Monitoring System
- Maintain the Safety
- Keep the Criminals Away



01 Motion Detector

Detect 120° wide range, side to side and up and down. Real-time monitoring is essential to ensure security.



02 Door Contact Sensor

Receive alerts through Syscall receivers, if doors or windows have been open or left open.



Syscall Software



01 Monitoring Software

This software enables to collect transaction data so that you can use the data to analyze your business flow.




02 Server Paging Software

User can page server from PC with more variety features provided by the software.



03 Direct Pager Programming Software

User can program direct pagers with the software simply.



04 Self-customizing Software

This software is customizable to meet customer needs.



Feature

- Specialized software for food court area
- Possible to choose the number of sections (3~6 Section)
- All settings self-modification available

TRANSMITTER

ST-300 / ST-300S / ST-300-2B Best selling call button



Dimension	Weight	Color
Ø59 x H9 mm	20g/22g	ST-300: Black, Navy ST-300S: Metal gray ST-300-2B: Black

Feature

- Water-resistant call button
- Slim and attractive design
- The most applicable call button in various fields

ST-E1 Call & Clear 2 functions in 1 button



Low Battery
Notification

Dimension	Weight	Color
W70 x L70 x H13mm	40g	Orange, Red

ST-100 Steady selling call button



Dimension	Weight	Color
W54.5 x L54.5 x H19mm	35g	White, Black, Silver

ST-800 / ST-800-3B 1 or 3 button with mat finish



Dimension	Weight	Color
W54 x L54 x H11mm	20g / 22g	Black

ST-900 100% Waterproof call button



Dimension	Weight	Color
W58 x L67 x H14mm	25g	Black

ST-600 3 functions call button



Dimension	Weight	Color
Ø59 x H9mm	20g	Black, Wine

ST-200 Light and slim design



Dimension	Weight	Color
Ø59 x H8mm	18g	Black, Wine

ST-4008 Multifunctional 8 call button



YOUR
LOGO
HERE



Dimension	Weight	Color
W113 x L89 x H28mm	120g	Navy

Feature

- 2 types of button functions
 - All 8 buttons for CALL function
 - 4 buttons for CALL, 4 buttons for CLEAR function
- Dry contact connection (only 4 buttons)
- Power supply from battery(AA) or adaptor
- Enhanced signal range with the external antenna

SHS-100 Nurse call button



Dimension	Weight	Color
W41 x L103 x H20mm	152g	Blue, Gold

SHS-200 Pull cord call button



Dimension	Weight	Color
W41 x L103 x H20mm	50g	Blue

SHS-400 Necklace call button



Dimension	Weight	Color
W51.5 x L51.5 x H13.5mm	22g	White


ST-500 External antenna improves wireless range



YOUR
LOGO
HERE


Dimension	Weight	Color
W55.5 x L99.5 x H15mm	55g	Orange, White

SDS-200 Door contact sensor



Dimension	Weight	Color
Main: W70 x L40 x H26mm Magnet: W70 x L16 x H20mm	55g 15g	White

SPT-200 Motion detector



Dimension	Weight	Color
Main: W85 x L85 x H45mm Cradle: W70 x L70 x H26mm	108g	White

RECEIVER DISPLAY MONITOR


SR-A Series



Display	FND
Dimension	W280 x L145 x H40mm
Weight	600g
Color	White
Key	Touch 6ch
Memory Capacity	Register up to 450 transmitters
Model	SR-A2001/ A2003/ A330/ A440/ AA10



TOUCH PANEL KEY



ON/OFF SWITCH



BLUE SIDE LIGHT



SR-A2001



SR-A2003



SR-A330



SR-A440



SR-AA10



High-Performance Antenna
(Improved Working Range)



Wireless Data Copy



Touch Switches

SR-300F



Display	4 digit 7 segment FND
Dimension	W107 x L107 x H32mm
Weight	135g
Color	White
Memory Capacity	Register up to 400 transmitters



Wall-mounted Type



Stand Type



Mini & Compact



2 in 1 Type



Melodies &
Voice Messages



Voice Guidance

DIRECT PAGER

S-WATCH IP68 Waterproof & Dustproof



IP68



Clear & soft
touch screen



Better
Durability



Quick
Charger

Type	Watch type
Dimension	W39 x L46 x H11mm
Weight	29.5g
Color	Black
Battery	3.7V/260mh(Li-Polymer)

SB-700 Touch switch & USB charging type



Clip
(Necklace Available)



Touch
Switches



Long Lfie
Battery



Wireless
Data Copy

Type	Clip type
Dimension	W45 x L58 x H16mm
Weight	30g
Color	Black, Silver
Battery	Li-Polymer (USB rechargeable)

LIGHT INDICATOR

SRL-300 Smart corridor light



LED Color	Able to indicate 7 LED colors
Dimension	W68 x L125.5 x H50mm
Weight	115g
Memory Capacity	Register up to 1,000 transmitters

SLL-400 Emergency light indicator



Color	Red, White
Dimension	W82 x L155 x H79mm
Weight	340g
Memory Capacity	Register up to 200 transmitters

GUEST PAGER

COASTER TYPE

GP-101R_10C



Dimension	Weight	Color
Ø95 x H15.5mm	79g	Black

Feature

- One of our most popular guest pager
- Big branding sticker space
- Thin and mat finish design makes it more premium
- Black & white which are basic color that fits anywhere

GP-100R_10C



Dimension	Weight	Color
Ø95 x H18mm	78g	Green, Red, Black, White, Yellow

Feature

- The unique doughnut design
- Differentiated 5 colors with glossy finish
- Free logo cap offer for branding sticker

SLIM TYPE

GP-200R_10C



Dimension / Weight	Color
GP-200R: W57 x L195 x H16mm / 80g GP-200C_10: W140 x L149 x H41.5mm / 245g	Black

Feature

- Slimline and neat design
- Plexiglass cradle included
- Branding sticker space both on the pager and cradle

GP-206RT / GP-210RT

[6 pagers in 1 set]



[10 pagers in 1 set]



Dimension / Weight	Color
GP-206T: W140 x L149 x H41.5mm / 240g GP-210T: W140 x L149 x H41.5mm / 260g	Black

Feature

- All-in-one type – Transmitter & charging cradle included
- Touch button for number keys
- Anti-theft function
- Suitable for small business

SIGNATURE GUEST PAGER

Syscall Signature


SGP-100R_10C/20C



Dimension / Weight	SGP-100R: W47 x L102 x H12mm / 45g
	SGP-110C: W138 x L142 x H175mm / 610g
Color	SGP-120C: W138 x L142 x H332mm / 920g
	Black


Feature

- Compact size fits in one hand
- LED indicates the charging status
- Charging easily in any direction
- Fix the product stably with non-slip pad
- Easy to clean the charging socket with the detachable rear case



Charging Status

- Red : In charging
- Blue : Completed



Non-Slip Pad



Easy to Clean Detachable rear case

SGP-300R_10C



Dimension / Weight	SGP-300R: W68 x L68 x H12mm / 46g
	SGP-300C: W84 x L185 x H55mm / 235g
Color	White

Feature

- The unique design inspired by Diamond
- LED indicates the charging status
- Big branding sticker space
- Simply drop the pager to charge
- Able to charge in any direction




Charging Status

- Red : In charging
- Blue : Completed



Branding Sticker Space



Drop and Charge

MULTI-PURPOSE TRANSMITTER

GP-2000T / ST-5020 / DT-5020



Dimension	Weight	Color
W100 x L177x H33mm	200g	Black
Feature		
<ul style="list-style-type: none"> Smart touch keypad Clearer display with OLED Beep & haptic feedback available Power ON/OFF switch & fixed antenna 		



GP-2000T



Guest Pager



ST-5020



SR-A series



DT-5020



Direct pagers

REPEATER / DATA TRANSCIVER



Dimension	W159 x L110 x H23mm
Weight	150g
Color	Black
Key	Touch 3ch
Memory Capacity	Register up to 450 call bells

SRT-8200

Feature

- Enhance working range in order to receive all signals
- Available in registration or non-registration mode
- Compatible with all Syscall products



SRT-8200_PC

Feature

- Data transceiver for software



TRUCK DRIVER PAGER

TGP-200R_10C/20C



Display	TFT LCD 1.44"
Dimension / Weight	TGP-200R : W47 x L102 x H12mm / 47g TGP-110C : W138 x L142 x H175mm / 610g TGP-120C : W138 x L142 x H332mm / 920g
Color	Black
Power Source	DC 9V/5A
Battery	3.7V/320mAh
Compatibility	TP-2000T & SRT-8200T



Full Color TFT Display



Out of Range Function



Long Lasting Battery


TP-2000T



Dimension	W100 x L177 x H33mm
Weight	200g
Color	Black

Feature

- Quick re-call from Call history page
- Clearer display with OLED



SRT-8200T



Dimension	W159 x L110 x H23mm
Weight	150g
Color	Black
Display	FND Red color (7 segments)
Compatibility	TP-2000T & TGP-200R

Feature

- Enhance working range between TP-2000T & TGP-200R
- Compatible with Truck Driver Paging System Only



TP-2000T



SRT-8200T



TGP-200R

SYSCALL



Distributed by

SYSCALL POLSKA

ul. Lucerny 93 lok. 12,

04-687 Warszawa

NIP PL5691574082

www.syscall.pl; biuro@syscall.pl

m. phone +48884000471